

# SD-WAN

# Easily adopt an end-to-end SD-WAN architecture with natively integrated, world-class security and connectivity

# **Benefits**

- Implement SD-WAN safely with natively integrated, industryleading security.
- Adopt SD-WAN easily by enabling it on your existing firewalls and consuming Prisma Access SD-WAN hub as a service.
- Deliver an exceptional end-user experience by leveraging Prisma Access SD-WAN hub to optimize performance.

The effects of the cloud on network transformation are undeniable. As the number of devices at branch locations grows and applications become more bandwidth-intensive, businesses are forced to spend more to accommodate demand. As a result, traditional wide area network (WAN) architectures with multiprotocol label switching (MPLS), which tend to eat up bandwidth as they backhaul traffic from branches to the cloud, render legacy approaches ineffective.

Software-defined wide area networking (SD-WAN), an approach that uses commodity links and allows you to intelligently manage as well as control connectivity between branches and cloud instances, is now a necessity for distributed enterprises. According to Gartner, by 2023, more than 90% of WAN edge infrastructure refreshes will be based on vCPE platforms or SD-WAN vs. traditional routers. However, with its benefits, SD-WAN also brings many challenges, such as lack of security, unreliable performance, and complexity. When security is an afterthought, it tends to be either subpar or bolted on, introducing management complexity. Moreover, network performance becomes less reliable because enterprises use the congested internet as the WAN middle mile—and when they try to address this by building their own SD-WAN hub infrastructures, they run into complexity. Ultimately, enterprises turn to multiple vendors or service providers to solve performance issues, which increases costs while decreasing control and visibility.

### Secure SD-WAN by Palo Alto Networks

Palo Alto Networks SD-WAN offering lets you easily adopt an end-to-end SD-WAN architecture with natively integrated, world-class security and connectivity. Using Prisma™ Access as the SD-WAN hub, you can optimize the performance of your entire network. This minimizes latency and ensures reliability, resulting in an exceptional user experience at the branches. You can consume our secure Prisma Access SD-WAN hub as a service, eliminating the complexity of building your SD-WAN hub infrastructure, or you can build the hub and interconnect infrastructure yourself using Palo Alto Networks Next-Generation Firewalls. Regardless of your deployment model, our tight integration will allow you to manage security and SD-WAN on a single, intuitive interface.

<sup>1.</sup> Christian Canales, Andrew Lerner, Mike Toussaint, and Joe Skorupa, "Magic Quadrant for WAN Edge Infrastructure," Gartner, October 18, 2018, https://www.gartner.com/en/documents/3891709/magic-quadrant-for-wan-edge-infrastructure.




Figure 1: Palo Alto Networks SD-WAN cloud-based approach

#### **Optimized Connectivity for Improved User Experience**

Palo Alto Networks SD-WAN lets you measure and monitor specific paths as well as dynamically move sessions to the most optimal path, guaranteeing the best branch user experience. You can simply enable the SD-WAN subscription on your Next-Generation Firewalls and begin intelligently, securely routing branch traffic to your cloud applications.

#### **Greater Performance with SD-WAN Hub**

SD-WAN leverages commodity links, such as broadband internet, LTE, and more. However, while these links are cost-effective, they lack the reliable performance of dedicated, private links.

With Prisma Access acting as the SD-WAN hub, users can essentially go through a private network, bypassing the congested, unpredictable internet. By using a reliable, cloud native global backbone as your WAN middle mile, you ensure the best performance and user experience.

#### **Central Management for Security and Connectivity**

Eliminate the need to manage multiple, disparate consoles from different vendors by using Panorama™ network security management for both security and connectivity. Integrated SD-WAN configuration and monitoring allows you to leverage the familiar Panorama user and application workflow, cutting the time you need to spend reconfiguring policies and visualizations. Additionally, you get granular SD-WAN monitoring data and a dedicated configuration tree, giving you greater visibility into your network.

#### **Simplified Branch Onboarding**

Provisioning a new branch requires IT staff to configure and deploy appliances. Doing this on a large scale, and at distributed locations, makes branch onboarding costly and slow.

With zero touch provisioning (ZTP), you can automate tedious onboarding processes. Appliances can be drop-shipped to your branch locations, where they are powered up and connected to the internet. To complete onboarding, administrators simply need to register on a web portal. Then, administrators can immediately start managing deployment and configuration from a single location through Panorama.

#### **Flexible Deployment Options**

Palo Alto Networks supports multiple SD-WAN deployment options, including mesh, hub-and-spoke, and cloud-based deployments. Furthermore, you can consume Prisma Access SD-WAN hub as a service or simply enable the SD-WAN subscription on your Next-Generation Firewalls. Our physical appliances and Prisma Access also integrate with SD-WAN offerings from vendors such as VeloCloud, CloudGenix, Nuage Networks, Aruba Networks, Viptela, Citrix, Silver Peak Systems, Aryaka Networks, Riverbed Technology, Talari Networks, and Ecessa.

## **SD-WAN Software Licenses**

- (Required) SD-WAN subscription on all physical appliances that will participate in the SD-WAN deployment. This license requires PAN-OS® 9.1.
- (Required to use Prisma Access for SD-WAN hub) Prisma Access SD-WAN Branch Interconnect license.

Table 1: Palo Alto Networks SD-WAN Supported Features and Capabilities								
Category	Features							
AAA/Authentication	RADIUS, local authentication and authorization, multitenant 3-tier RBAC architecture, auditing, roles and privileges							
Availability	Hardware high availability in active/passive mode							
	Link metric collection, jitter, drop, delay							
SD-WAN features	Intelligent path selection based on metric; dynamic application steering							
	Application and network condition aware sub-second steering							
	Session-based link aggregation							
	Scalable bidirectional path health measurements, QoS, traffic shaping      Disable bidirection througholds for common application actors via a							
NI-t	Predefined application thresholds for common application categories  Out One of the Common PLICE and DATE  Out One of the Common PLICE and DA							
Network services	IPv4, DNS, DHCP client, DHCP server, DHCP relay, NAT							
Dynamic QoS/traffic shaping	QoS shaping, policing, and rate limiting with per-flow queueing and separate cleartext and tunnel treatment Support for 8 queues, type of service (ToS) and DSCP code points with patented bidirectional session-based DSCP tagging.							
	Static routes							
	• OSPF							
	• BGP							
Routing	<ul> <li>Local route ID and local AS, path selection, BGP confederations, route flap dampening, graceful restart, IGP-BGP route injection</li> </ul>							
	<ul> <li>Route import, export, and advertisement; prefix-based filtering; address aggregation</li> </ul>							
	Multiple virtual routers     Authorities by MD5.							
CD MANUELL	Authentication by MD5  Author (reached LIA) deal resource and the second s							
SD-WAN high availability	Active/passive HA; dual power supply							
Connectivity architecture	Hub-and-spoke IPsec tunnels with automatic configuration							
	Single pane of glass for security and SD-WAN management							
Management	<ul><li>Panorama-managed, API, syslog, SNMP</li><li>RBAC</li></ul>							
	Scale up to 5,000 devices per Panorama							
	• Zero touch provisioning (ZTP)*							
	Monitoring and visualization							
	Dashboard views of SD-WAN impacted applications and links with drill down							
	SD-WAN link down alerts to detect blackout situations							
	SD-WAN reporting							
	Link jitter, delay, and drop trend charts							
	Physical and virtualized Next-Generation Firewalls for both branch and hub							
Deployment flexibility	Hub-and-spoke							
	• Mesh <sup>†</sup>							
	Cloud-based with Prisma Access							

<sup>\*</sup> Coming soon with new SKUs

<sup>†</sup> Coming soon

Table 2: SD-WAN Edge Device Specifications ‡											
	PA-220	PA-220R	PA-820	PA-850							
Branch office bandwidth (recommended range)	1-150 Mbps	1-150 Mbps	50-500 Mbps	50-700 Mbps							
Max. overlay IPsec tunnels	1K	1K	1K	1K							
Max. concurrent sessions	64K	64K	128K	196K							
Max. number of routes	2.5K	2.5K 5K		5K							
Appliance datasheet	Learn more	more Learn more Learn more		Learn more							
Connectivity Options											
LAN/WAN 1G RJ-45	8	6	4	4							
LAN/WAN 1G SFP	_	2	8	4							
LAN/WAN 1G/10G SFP	-	-	-	4							
LAN/WAN 40G QSFP	-	-	-	-							
Serial console port											
USB console port	1	1	1	1							
Management port											
HA—dual power input	Optional	Optional	No	Yes							

<sup>&</sup>lt;sup>‡</sup> Any box can be used as a hub or branch

Table 3: SD-WAN Hub Device Specifications											
	PA-3220	PA-3250	PA-3260	PA-5220	PA-5250	PA-5260	VM-300	VM-500			
IPsec overlay performance	2.5 Gbps	3.2 Gbps	4.8 Gbps	8 Gbps	16 Gbps	24 Gbps	1.8 Gbps	4 Gbps			
Max. overlay IPsec tunnels	2K	3K	3K	3K	4K	5K	1K	1K			
Max. concurrent sessions	1M	2M	3M	4M	8M	32M	819,200	2M			
Max. number of routes	16K	16K	44K	100K	100K	100K	10K	32K			
Appliance datasheet	Learn more										
Connectivity Options											
LAN/WAN 1G/10G SFP	8	8	8	16	16	16	_	_			
LAN/WAN 40/100G QSFP28	-	_	4	4 (40G only)	4	4	_	_			
Serial console port Management port	1	1	1	1	1	1	-	-			
HA—dual power input	Optional	Optional	Optional	Yes	Yes	Yes	_	-			

To compare performance and specifications for all our firewall offerings, visit paloaltonetworks.com/products/product-selection.



3000 Tannery Way Santa Clara, CA 95054

Main: +1.408.753.4000 Sales: +1.866.320.4788 Support: +1.866.898.9087

Support: +1.866.898.9087 www.paloaltonetworks.com

© 2019 Palo Alto Networks, Inc. Palo Alto Networks is a registered trademark of Palo Alto Networks. A list of our trademarks can be found at https://www.paloaltonetworks.com/company/trademarks.html. All other marks mentioned herein may be trademarks of their respective companies. sd-wan-ds-122019